



Release Note

Edgecore ECW5211-L Release v3.45.0013

Document # Edgecore_ECW5211-L_v3.45.0013_1.31.2.18.2.48-1.9785.2.19.2.50

Enhancement from v3.45.0012_1.31.2.18.2.31-1.9785.2.19.2.32

Table of Contents

1 Feature.....	3
1.1 Hotspot 2.0 Enhancement.....	3
2 Issue Fixed	4
2.1 Radius failover does not function when the radius server is not running.	4
2.2 When using both Chrome and Edge, the content of the pop-up window becomes garbled after clicking the Apply button.	4
3 Compatible Version for AP Management	5

1 Feature

1.1 Hotspot 2.0 Enhancement

1. Roaming Consortium Organizational Identifier: Support 6~30 digits and the digit should be even number.
2. Support the EAP methods of EAP-AKA, EAP-SIM in the NAI Realm List.
3. Support 10 PLMNs.

2 Issue Fixed

2.1 Radius failover does not function when the radius server is not running.

Fill in the primary and secondary RADIUS server details for the enterprise SSID. If the AP is connected to the enterprise SSID, the RADIUS server will not switch to a backup server when the original RADIUS server is not running but can be pinged. The issue has been resolved in this version.

2.2 When using both Chrome and Edge, the content of the pop-up window becomes garbled after clicking the Apply button.

When attempting to use both Chrome and Edge browsers, upon clicking the 'Apply' button, the content within the pop-up window becomes garbled. The issue has been resolved in this version.

3 Compatible Version for AP Management

Compatible with EWS series v3.45.0000 and above.